Clean Water Act jurisdiction remains with EPA.

Wetlands means those areas that are inundated or saturated by surface or ground ater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.

Whole effluent toxicity means the aggregate toxic effect of an effluent measured directly by toxicity test.

NOTE: At 45 FR 48620 July 21, 1980, the Environmental Protection Agency suspended until further notice in \$1222, the last sentence, beginning This exclusion applies . . ." in the definition of "Waters of the United States." This revision continues that suspension.¹

(Clean Water Act (33 U.S.C. 1251 easeq.), Safe Drinking Water Act (42 U.S.C. 300f et seq.), Clean Air Act (42 U.S.C. 7401 et seq.), Resource Conservation and Recovery Act (42 U.S.C. 690f et seq.))

[48 FR 4153, Apr. 1, 1983, as amended at 48 FR 39649, Sept. 1, 1983; 50 FR 6940, 6941, Feb. 19, 1935; 54 FR 254, Jan. 4, 1989; 54 FR 18881, May 2, 1989; 54 FR 23895, June 2, 1989; 58 FR 45049, Aug. 25, 1993; 58 FR 67980, Dec. 22, 1993; 64 FR 42462, Aug. 4, 1999; 65 FR 30905, May 15, 26001

§122.3 Exclusions.

The following discharges do not require NPDES permits:

(a) Any discharge of sewage from vessels, effluent from properly functioning marine engines, laundry, shower, and galley sikk wastes, or any other discharge incheental to the normal operation of a vessel. The exclusion does not apply to rubbish trash, garbage, or other such materials discharged overboard; nor to ther discharges when the vessel is operating in a capacity other than as a means of transportation such as when used as an energy or mining facility, a storage facility or a seafood processing facility, or when secured to a storage facility, or when secured to the bed of the ocean, contiguous zone or waters of the United

states for the purpose of mineral or oil exploration or development.

(b) Discharges of dredged or fill material into waters of the United States which are regulated under section 404 of CWA.

(c) The introduction of sewage industrial wastes or other pollutants into publicly owned treatment works by indirect dischargets. Plans or agreements to switch to this method of disposal in the future do not relieve dischargers of the obligation to have and comply with permits until all discharges of pollutants to waters of the butted States are eliminated. (See all o \$12.47(b)). This exclusion does not apply to the introduction of pollutants to privately owned treatment works or to other discharges through pipes, sewers or other conveyances whend by a State, municipality, or other party not leading to treatment works.

(d) Any discharge in compliance with the instructions of an On-Scene Coordinator Jursuant to 40 CFR part 300 (the National Oil and Hazardous Substances Polytion Contingency Plan) or 33 CFR 15-10(e) (Pollution by Oil and Hazardous Substances).

(e) Any introduction of pollutants from non point-source agricultural and activities. including silvicultural storm water runoff from orchards, cultivated crops, pastures, range lands, and forest lands, but not discharges from concentrated animal feeding operations as defined in §122.23, discharges from concentrated aquatic animal production facilities as defined in §122.24, discharges to aquaculture projects as defined in §122.25, and discharges from silvicultural point sources as defined in § 122.27.

(f) Return flows from irrigated agriculture.

(g) Discharges into a privately own treatment orks, except as the Director may other require under § 122.44(m)

[48 FR 14153, Apr. 1, 1983, as amended at 54 FR 254, 258, Jan. 4, 1989]

§ NO2.4 Prohibitions (applicable to NPDES programs, see

No permit may be usued:

(a) When the conditions of the permit do not provide for compliance with the

¹EDITORIAL NOTE: The words "This revision" refer to the document published at 48 FR 14153, Apr. 1, 1983.

other comprehensive measures to as ure long term environmental comp ace with environmental laws and r tions; the manager can ensure t the necessary systems are establictions taken to gather com or ccurate information for p rmit application requirements; and vhere authority to sign documents ha s been assigned or delegated to the p anager in accordance with corporat procedures.

NOTE: EPA does not require specific assignments or delegations of authority to responcorpo officers ntified \$122.22(a)(1)(i) The Agency will bresume that these responsible corporate officers have the requisite authority to sign permit applications unless the corporation has notified the Director to the contrary. Corporate procedures governing authority to sign permit applications may be used to be accompanied to the contractions of the contraction of the contr plications may provide for delegation to applicable of under §122.22(a)(1)(b) rather assignment or porate positions r than to specific individuals.

(2) For a partnership or sole proprietorship. By a general partner or the pro-

prietor, respectively or

(3) For a municipality, State, Federal, or other public agent's By either a principal executive office for ranking electcipal executive officer or ranking elected official. For purposes of this section, a principal executive afficer of a Federal agency includes: (i) The chief executive officer of the agency, or (ii) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrators of EPA).

(b) All reports required by permits, and other information requested by the Director shall be signed by a person described in paragraph (a) of this section, or by a duly authorized representative of that person. A person is a duly authorized representative only if

(1) The authorization is made in writing by a person described in paragraph (a) of this section;
(2) The authorization specifies either

an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or hosi. tion having overall responsibility for environmental matters for the pany, (A duly authorized represe tive may thus be either a named individual or any individual occupy amed position.) and,

The written authorization. sub-

milted to the Director.

Changes to authorization. an authorization under paragraph b) of this section is no longer accurate because a different individual or position has responsibility for the overall operation of the facility a new authorization satisfying the requirements of paragraph (b) of this section must be submitted to the Director pajor to of together with any reports information or applicaany reports, information, or applications to be signed by n authorized representative.

(d) Certification. A y person signing a document under pathis section shall agraph (a) or (b) of make the following

certification:

I certify under nalty law that this document and all ttachmen were prepared under my direction or supervision in accordg assure that ance with a system designed nel properly gather and formation submitted. Based qualified personnel properly evaluate the information subevaluate the information submittee. Descending on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of e and belief, true, accurate, and my knowled complete. I im aware that there are significant penal es for submitting false information, including the possibility of fine an prisonment for knowing violations.

ter Act (33 U.S.C. 1251 et seq.), S (Clean W Drinkin Water Act (42 U.S.C. 300f et seller Act (42 U.S.C. 7401 et seq.), F Clean Conservation and Recovery Act source 6901 et seq.))

R 14153, Apr. 1, 1983, as amended at 9619, Sept. 1, 1983; 49 FR 38047, Sept. 29, 50 FR 6941, Feb. 19, 1985; 55 FR 48063, 16, 1990; 65 FR 30907, May 15, 2000]

122.23 Concentrated animal feeding operations (applicable to State NPDES programs, see § 123.25).

Permit requirement for CAFOS. Concentrated animal feeding operations, as defined in paragraph (b) of this section, are point sources that require NPDES permits for discharges or potential discharges. Once an exerction is defined as a CAFO, the NPDES requirements for CAFOs apply with respect to all animals in confinement at the operation of the properties of the properties of the particles of the properties of the particles ation and all manure, litter and process wastewater generated by those animals or the production of those and mals, regardless of the type of animal.

- (b) Definitions applicable to this section:
- (1) Animal feeding operation ("AFO") means a lot or facility (other than an aquatic animal production facility) where the following conditions are met:
- (i) Animals (other than aquatic animals) have been, are, or will be stabled or confined and fed or maintained for a total of 45 days or more in any 12-month period, and

(ii) Crops, vegetation, forage growth, or post-harvest residues are not sustained in the normal growing season over any portion of the lot or facility.

- (2) Concentrated animal feeding operation ("CAFO") means an AFO that is defined as a Large CAFO or as a Medium CAFO by the terms of this paragraph, or that is designated as a CAFO in accordance with paragraph (c) of this section. Two or more AFOs under common ownership are considered to be a single AFO for the purposes of determining the number of animals at an operation, if they adjoin each other or if they use a common area or system for the disposal of wastes.
- (3) The term land application area means land under the control of an AFO owner or operator, whether it is owned, rented, or leased, to which manure, litter or process wastewater from the production area is or may be applied.
- (4) Large concentrated animal feeding operation ("Large CAFO"). An AFO is defined as a Large CAFO if it stables or confines as many as or more than the numbers of animals specified in any of the following categories:
- (i) 700 mature dairy cows, whether milked or dry;

(ii) 1,000 veal calves;

- (iii) 1,000 cattle other than mature dairy cows or veal calves. Cattle includes but is not limited to heifers, steers, bulls and cow/calf pairs;
- (iv) 2,500 swine each weighing 55 pounds or more;
- (v) 10,000 swine each weighing less than 55 pounds;

(vi) 500 horses;

(vii) 10,000 sheep or lambs;

(viii) 55,000 turkeys;

(ix) 30,000 laying hens or broilers, if the AFO uses a liquid manure handling system; (x) 125,000 chickens (other than laying hens), if the AFO uses other than a liquid manure handling system;

(xi) 82,000 laying hens, if the AFO uses other than a liquid manure handling system;

(xii) 30,000 ducks (if the AFO uses other than a liquid manure handling system); or

(xiii) 5,000 ducks (if the AFO uses a liquid manure handling system).

(5) The term *manure* is defined to include manure, bedding, compost and raw materials or other materials commingled with manure or set aside for disposal.

(6) Medium concentrated animal feeding operation ("Medium CAFO"). The term Medium CAFO includes any AFO with the type and number of animals that fall within any of the ranges listed in paragraph (b)(6)(i) of this section and which has been defined or designated as a CAFO. An AFO is defined as a Medium CAFO if:

(i) The type and number of animals that it stables or confines falls within any of the following ranges:

(A) 200 to 699 mature dairy cows, whether milked or dry;

(B) 300 to 999 yeal calves;

- (C) 300 to 999 cattle other than mature dairy cows or veal calves. Cattle includes but is not limited to heifers, steers, bulls and cow/calf pairs;
- (D) 750 to 2,499 swine each weighing 55 pounds or more;
- (E) 3,000 to 9,999 swine each weighing less than 55 pounds;

(F) 150 to 499 horses;

(G) 3,000 to 9,999 sheep or lambs;

(H) 16,500 to 54,999 turkeys;

- (I) 9,000 to 29,999 laying hens or broilers, if the AFO uses a liquid manure handling system;
- (J) 37,500 to 124,999 chickens (other than laying hens), if the AFO uses other than a liquid manure handling system;

(K) 25,000 to 81,999 laying hens, if the AFO uses other than a liquid manure handling system;

(L) 10,000 to 29,999 ducks (if the AFO uses other than a liquid manure han-

dling system); or

(M) 1,500 to 4,999 ducks (if the AFO uses a liquid manure handling system); and

(ii) Either one of the following conditions are met:

(A) Pollutants are discharged into waters of the United States through a man-made ditch, flushing system, or other similar man-made device; or

(B) Pollutants are discharged directly into waters of the United States which originate outside of and pass over, across, or through the facility or otherwise come into direct contact with the animals confined in the operation.

(7) Process wastewater means water directly or indirectly used in the operation of the AFO for any or all of the following: spillage or overflow from animal or poultry watering systems; washing, cleaning, or flushing pens, barns, manure pits, or other AFO facilities; direct contact swimming, washing, or spray cooling of animals; or dust control. Process wastewater also includes any water which comes into contact with any raw materials, products, or byproducts including manure, litter, feed, milk, eggs or bed-

ding (8) Production area means that part of an AFO that includes the animal confinement area, the manure storage area, the raw materials storage area, and the waste containment areas. The animal confinement area includes but is not limited to open lots, housed lots, feedlots, confinement houses, stall barns, free stall barns, milkrooms, milking centers, cowyards, barnyards, medication pens, walkers, animal walkways, and stables. The manure storage area includes but is not limited to lagoons, runoff ponds, storage sheds, stockpiles, under house or pit storages, liquid impoundments, static piles, and composting piles. The raw materials storage area includes but is not limited to feed silos, silage bunkers, and bedding materials. The waste containment area includes but is not limited to settling basins, and areas within berms diversions which separate and uncontaminated storm water. Also included in the definition of production area is any egg washing or egg processing facility, and any area used in the storage, handling, treatment, or disposal of mortalities.

(9) Small concentrated animal feeding operation ("Small CAFO"). An AFO

that is designated as a CAFO and is not a Medium CAFO.

(c) How may an AFO be designated as a CAFO? The appropriate authority (i.e., State Director or Regional Administrator, or both, as specified in paragraph (c)(1) of this section) may designate any AFO as a CAFO upon determining that it is a significant contributor of pollutants to waters of the United States.

(1) Who may designate?

(i) Approved States. In States that are approved or authorized by EPA under Part 123, CAFO designations may be made by the State Director. The Regional Administrator may also designate CAFOs in approved States, but only where the Regional Administrator has determined that one or more pollutants in the AFO's discharge contributes to an impairment in a downstream or adjacent State or Indian country water that is impaired for that pollutant.

(ii) States with no approved program. The Regional Administrator may designate CAFOs in States that do not have an approved program and in Indian country where no entity has expressly demonstrated authority and has been expressly authorized by EPA to implement the NPDES program.

(2) In making this designation, the State Director or the Regional Administrator shall consider the following factors:

(i) The size of the AFO and the amount of wastes reaching waters of the United States;

(ii) The location of the AFO relative to waters of the United States;

(iii) The means of conveyance of animal wastes and process waste waters into waters of the United States;

(iv) The slope, vegetation, rainfall, and other factors affecting the likelihood or frequency of discharge of animal wastes manure and process waste waters into waters of the United States; and

(v) Other relevant factors.

(3) No AFO shall be designated under this paragraph unless the State Director or the Regional Administrator has conducted an on-site inspection of the operation and determined that the operation should and could be regulated under the permit program. In addition, no AFO with numbers of animals below those established in paragraph (b)(6) of this section may be designated as a CAFO unless:

(i) Pollutants are discharged into waters of the United States through a manmade ditch, flushing system, or other similar manmade device: or

(ii) Pollutants are discharged directly into waters of the United States which originate outside of the facility and pass over, across, or through the facility or otherwise come into direct contact with the animals confined in the operation.

Who must seek coverage under and

ES permit?

(1) All CAFO owners or operators mapply for a permit. All CAFO owners operators must seek coverage under NPDES permit, except as provided ist or ed in NPDES permit, except as provided in paragraph (1)(2) of this section. Specifically, the AFO owner or operator must either apply for an individual NPDES permit or submit a notice of intent for coverage under an NPDES general permit. If the Director has not made a general permit available to the CAFO, the CAFO where or operator must submit an application for an individual permit to the Director.

(2) Exception. An owner or operator of a Large CAFO does not need to seek coverage under an MPDE's permit otherwise required by this ection once the owner or operator has received from the Director notification of a de-termination under paragraph (f) of this section that the CAFO has "ne potential to discharge" manure, latter or

process westewater.
(3) Information to submit with permit application. A permit application for an individual permit must include the information specified in §122.21. A notice of intent for a general permit must inide the information specified in

§ 122.21 and 122.28.

(e) Land application discharges from a CAFO are subject to NPDES requirements. The discharge of manure, litter or process wastewater to waters of the United States from a CAFO as a result of the application of that manure, litter or process wastewater by the CAFO to land areas under its control is a discharge from that CAFO subject to NPDES permit requirements, except where it is an agricultural storm water

discharge as provided in 33 U.S.C. 1362(14). For purposes of this paragraph, where the manure, litter or process wastewater has been applied in accordance with site specific nutrient management practices that ensure appropriate agricultural utilization of the nutrients in the manure, litter or process wastewater, as specified in \$122.42(e)(1)(vi)-(ix), a precipitation-related discharge of manure, litter or process wastewater from land areas under the control of a CAFO is an agricultural stormwater discharge.

(f) ''No potential to discharge'' deter minations for Large CAFOs-(1) Deta mination by the Director. The Direct upon request, may make a case-specific determination that a Large CAFO has "no potential to discharge" polyutants "no potential to discharge" poliutants to waters of the United States in making this determination, the Director must consider the potential for discharges from both the production area and any land application areas. The Director must also consider any record of prior discharges by the CAFO. In no case may the CAFO be determined to have "no potential to discharge" if it has had a discharge within the 5 years prior to the date of the request submitted under paragraph (f)(2) of this mitted under paragraph (f)(2) of this section. For purposes of this section, the term "no potential to discharge" means that there s no potential for any CAFO manare litter or process wastewater to e added to waters of S/tates under any cirthe United cumstance or flimatic condition. A determination that there is "no potential to discharge for purposes of this section only relates to discharges of manure, litte and process wastewater covered by this section.

(2) Information to support tial to discharge" request. In requesting a determination of "no potential to discharge," the CAFO owner or operator must submit any information that support such a determination, within the time frame provided by the Director and in accordance with para-graphs (g) and (h) of this section. Such information must include all of the information specified in §122.21(f) (1)(i) through (ix). The Director has iscretion to require additional information to supplement the request, and may also gather additional information through on-site inspection of the CAFO.

- Process for making a "no potential discharge" determination. Before making a final decision to grant a "no fo-tential to discharge" determination, the Director must issue a notice to the public stating that a "no potential to discharge" request has been received. This notice must be accompanied by a fact sheet which includes, when applicable: a trief description of the type of cable: a krief description of the type of facility of activity which is the subject of the "no potential to discharge" determination: a brief summary of the factual basis upon which the request is based, for granting the "no potential to discharge" determination; and a description of the procedures for reaching a final decision on the "no potential to discharge" determination. The Director must base the decision to grant a "no potential to discharge" ietermination on the administrative record, which includes all information submitted in support of a "no potential to mitted in support of discharge' determin "no potential to determinatio and any other supporting data gathered by the permitting authority. must notify any CAFO The Director eeking a "no potential to discharge det of its final determination determination within 90 days of receiving the reques
- (4) What is the deadline for requesting a "no potential to discharge" determination? The owner or operator must request a "no potential to discharge" determination by the applicable permit application date specified in paragraph (g) of this section. If the Director's final decision is to deny the "no potential to discharge" determination, the owner or operator must seek coverage under a permit within 30 days after the denial.
- (5) The "no potential to discharge determination does not relieve the CX FOfrom the consequences of an actual vischarge. Any unpermitted CAFO that pollutants into the waters discharge of the United States is in violation of n Water Act even if it has n the Cle ceived "no potential to discharge determination from the Director. An that has received a determina CAF tion of "no potential to discharge," but anticipates changes in istances that could create the potential for a discharge, should contact

the Director, and apply for and obtain permit authorization prior to the change of circumstances.

- (i) The Director retains authority to require a permit. Where the Director has issued a determination of "no potential to discharge," the Director retains the authority to subsequently require NPDES permit coverage of circumstances at the facility change, if new information becomes available, or if there is another reason for the Director to determine that the CAFO has a potential to discharge.
- potential to discharge.
 (g) When must a CAFO seek coverage under an NPDES permit?
- (1) Operations defined as CAFOs prior to April 14, 2003. For operations that are defined as CAFOs under regulations that are in effect prior to April 14, 2003, the owner or operator must have or seek to obtain coverage under an NPDES permit as of Agril 14, 2003, and comply with all applicable NPDES requirements, including the duty to maintain permit coverage in accordance with paragraph (h) of this section.
- maintain permit coverage in accordance with paragraph (h) of this section.
 (2) Operations defined as CAFOs as of April 14, 2003, who were not defined as CAFOs prior to that take. For all CAFOs, the owner or operator of the CAFO must seek to obtain coverage under an NPDES permit by a date specified by the Director, but no later than February 13, 2006.
- (3) Operations that become defined as CAFOs after April 14, 2003, but which are not new sources! For newly constructed AFOs and AFOs that make changes to their operations that result in becoming defined as CAFOs for the first time, after April 14, 2003, but are not new sources, the owner or operator must seek to obtain coverage under an NPDES permit, as follows:
- (i) For newly constructed operations not subject to effluent limitations guidelines, 180 days prior to the time CAFO commences operation; or
- (ii) For other operations (e.g., resulting from an increase in the number of animals), as soon as possible, but no later than 90 days after becoming defined as a CAFO; except that
- (ii) If an operational change that makes the operation a CAFO would not have made it a CAFO prior to April 14, 2003, the operation has until April 13,

2006, or 90 days after becoming defing as a CAFO, whichever is later.

New sources. New sources must to obtain coverage under a pelmit

seek to obtain coverage under a permit at least 180 days prior to the time/that the CAFO commences operation.

(5) Overations that are designated as CAFOs. For operations designated as CAFO in accordance with paragraph (c) of this section, the owner or operator must seek to obtain coverage under a permit no later than 90 days after receiving notice of the designation.

(6) No potential to discharge. Notwithstanding any other provision of this section, a CAFO that has received a "no potential to discharge" determination in accordance with paragraph (f) of this section is not required to seek coverage under an NPDHS permit that would otherwise ba required by this section. If circums and ces materially change at a CAFO that has received a NPTD determination such that the NPTD determination CAFO has a potentia such that the or a discharge, the CAFO has a duty b immediately notify the Director and seek coverage under an NPDES permit within 30 days after the change in circumstances.

(h) Duty to Maintain Permit Coverage. No later than 18% days before the expiration of the permit, the permittee must submit an application to renew permit, accordance with §122.21(g). However, the permittee need not continue to seek continued permit

coverage or reapply for a permittif;
(1) The facility has ceased operation ration

or is no longer a CAFO; and
(2) The permittee has de

permittee has demons to the satisfaction of the Director that there is no remaining potential for a discharge of manure, litter or associprocess wastewater that was genated. d while the operation was a other than agricultural 'n. rmwater from land application

[68 FR 7265, Feb. 12, 2003]

§122,24 Concentrated aquatic animal production facilities (applicable to State NPDES programs, see NPDES programs, § 123.25).

(a) Permit requirement. Concentrated aquatic animal production facilities, as defined in this section, are point sources subject to the NPDES permit program.

(b) Definition. Concentrated aquatic animal production facility means a hatchery, fish farm, or other facility which meets the criteria in appendix C of this part, or which the Director designates under paragraph (c) of this sec-

(c) Case-by-case designation of concentrated aquatic animal production facilities. (1) The Director may designate any warm or cold water aquatic animal production facility as a concentrated aquatic animal production facility upon determining that it is a significant contributor of pollution to waters of the United States. In making this designation the Director shall consider the following factors:

(i) The location and quality of the receiving waters of the United States;

(ii) The holding, feeding, and production capacities of the facility;

(iii) The quantity and nature of the pollutants reaching waters of the United States; and

(iv) Other relevant factors.

(2) A permit application shall not be required from a concentrated aquatic animal production facility designated under this paragraph until the Director has conducted on-site inspection of the facility and has determined that the facility should and could be regulated under the permit program.

[48 FR 14153, Apr. 1, 1983, as amended at 65 FR 30907, May 15, 2000]

§ 122.25 Aquaculture projects (applicable to State NPDES programs, see 8 123 25).

Permit requirement. Discharges aquaculture projects, as defined in this section, are subject to the NPDES permit program through section 318 of CWA, and in accordance with 40 CFR part 125, subpart B.

(b) Definitions. (1) Aquaculture project means a defined canaged water area which uses discharges of pollutants into that designated area for the maintenance or production of harvestable freshwater estuaring or marine plants or animak

(2) Designated project area means the portions of the waters of the United States within which the permittee or permit applicant plans to confine the cultivated species, using a method or plan or operation (including, but not before an action for noncompliance, is nal administrative action subject to

iddicial review.

Conditions necessary for demonstitution of upset. A permitted wishes to establish the affirmation who ive deupset shall demonstrate, fense through properly signed, contemporaneous operating logs, or other relevant evidence that:

(i) An upset occurred and that the permittee cal identify the cause(s) of

the upset;

(ii) The permitted fability was at the time being property operated; and

(iii) The permittee submitted notice of the upset as required in paragraph (1)(6)(ii)(B) of this section (24 hour notice).

(iv) The permittee complied with any remedial measures required under

paragraph (d) o this secti

ny enforce-(4) Burden f proof. In ment proceeding the permittee seeking to establish the occurrence of an upset has the burden of proof.

Drinking Water Act (33 U.S.C. 1251 et seg.), Safe Drinking Water Act (42 U.S.C. 300f et seg.), Clean Act Act (42 U.S.C. 7401 et seg.), Resource Conservation and Possaria 901 et seq.))

14153, Apr. 1, 1983, as amended a 9620, Sept. 1, 1983; 49 FR 38049, Sept. 50 FR 4514, Jan. 31, 1985; 50 FR 6940, Feb. 1985; 54 FR 255, Jan. 4, 1989; 54 FR 18783. May 2, 1989; 65 FR 30908, May 15, 2000]

§122.42 Additional conditions applicable to specified categories of NPDES permits (applicable to State NPDES programs, see § 123.25).

The following conditions, in additions to hose set forth in §122.41, apply all IPDES permits within the

egories specified below:
(a) Existing manufacturing, commercial, mining, and silvicultural disphargers. In addition to the reporting requirements under §122.47(1), all existing manufacturing, commercial, mining, and sil-vicultural dischargers must notify the they know or have Director as soon reason to believe

activity has occurred or (1) That any will occur which would result in the or frequent on a routine discharge basis, of any toxic pollutary which is not limited in the permit, if that disrge will exceed the highest of the following "notification levels":

i) One hundred micrograms per liter (100 μg/l);

Two hundred micrograms p (200 µg/l) for acrolein and acryl nitrile; five hundred micrograms (500 μg/l) for 2,4-dinitrophenol liter for 2-methyl-4,6-dinitrophenol; and one milligram per liter (1 mg/l) for antimony;

(iii) Five (5) times the maximum concentration value reported for that pollutant in the permit application in ac-

cordance with § 122.21(g) (7); or (iv) The level established by

- (17) The level established by the Director in accordance with §122.4(f).

 (2) That any activity has occurred or will occur which would result in any discharge. On a population of the control of the con discharge, n a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":

 (i) Five hundred micrograms per liter
- $(500 \mu g/l)$;

(ii) One milligram per liter (1 mg/l)

for antimony;

(iii) Ten (10) times the maximum concentration value reported for that (iii) Ten (10) pollutant in the permit app accordance with § 122.2 (g) (7). application in

(iv) The level established by the Director in accordance with § 122.44(f).
(b) Publicly owned geatment works. All

eatment works. All POTWs must provid adequate notice to the Director of the following:

(1) Any new introduction of pollutants into the POTW from an indirect discharger which would be subject to section 301 or 300 of CWA if it were directly discharging those pollutants; and

(2) Any substantial change in the vol-ume or character of pollutants being introduced into that POTW by a source introducing pollutants into the POTW at the time of issuance of the permit.

durposes of this paragraph, notice shall include informa-(3) For 1 adequate & tion on (f) the quality and quantity of effluent introduced into the POWW, and anticipated impact of the on the quantity or quality of ef-(ii) and change to be discharged from fluen POT

of Municipal separate storm sewer sys-is. The operator of a large or me-im municipal separate storm sewer stem or a municipal separate sterm system or a municipal separate sewer that has been designated by the

§ 122.42

Director under §122.26(a)(1)(v) of this part must submit an annual report the anniversary of the date of the issuance of the permit for such system. The report shall include:

(1) The status of implementing the components of the storm water management program that are established as permit conditions;

(2) Profosed changes to the storm water management program's that are established as permit condition. Such proposed changes shall be consistent with §122.26(d)(2)(iii) of this part; and (3) Revisions if necessary, to the as-

- sessment of controls and the fiscal analysis reported in the permit appli-122726(d)(2)(iv) under cation (d)(2)(v) of this part
- data, including (4) A summary is accumulated monitoring data, ng year; throughout the re
- (5) Annual expenditures and budget for year following each annual report;
- (6) A summary describing the number and nature of enforcement actions, inspections, and public edication programs:

(7) Identification of water quality improvements or degradation;

- (d) Storm water discharges. The initial permits for discharges composed enof storm water issued pursuant 2.26(e)(7) of this part shall equire tirely to §1 compliance with the conditions of the permit as expeditiously as practicable, but in no event later than three years ter the date of issuance of the per-
- (e) Concentrated animal feeding operations (CAFOs). Any permit issued to a CAFO must include:
- (1) Requirements to develop and implement a nutrient management plan. At a minimum, a nutrient management plan must include best management practices and procedures necessary to implement applicable effluent limitations and standards. Permitted CAFOs must have their nutrient management plans developed and implemented by December 31, 2006. CAFOs that seek to obtain coverage under a permit after December 31, 2006 must have a nutrient management plan developed and implemented upon the date of permit coverage. The nutrient management plan must, to the extent applicable:

- (i) Ensure adequate storage of manure, litter, and process wastewater, including procedures to ensure proper operation and maintenance of the storage facilities;
- (ii) Ensure proper management of mortalities (i.e., dead animals) to ensure that they are not disposed of in a liquid manure, storm water, or process wastewater storage or treatment system that is not specifically designed to treat animal mortalities;
- (iii) Ensure that clean water is diverted, as appropriate, from the production area:
- (iv) Prevent direct contact of confined animals with waters of the United States:
- (v) Ensure that chemicals and other contaminants handled on-site are not disposed of in any manure, litter, process wastewater, or storm water storage or treatment system unless specifically designed to treat such chemicals and other contaminants:
- (vi) Identify appropriate site specific conservation practices to be implemented, including as appropriate buffers or equivalent practices, to control runoff of pollutants to waters of the United States;
- (vii) Identify protocols for appropriate testing of manure, litter, process wastewater, and soil;
- (viii) Establish protocols to land apply manure, litter or process wastewater in accordance with site specific nutrient management practices that ensure appropriate agricultural utilization of the nutrients in the manure, litter or process wastewater; and
- (ix) Identify specific records that will be maintained to document the implementation and management of the minimum elements described in paragraphs (e)(1)(i) through (e)(1)(viii) of this section.
- (2) Recordkeeping requirements. (i) The permittee must create, maintain for five years, and make available to the Director, upon request, the following records:
- (A) All applicable records identified pursuant paragraph (e)(1)(ix) of this section:
- (B) In addition, all CAFOs subject to 40 CFR part 412 must comply with

record keeping requirements as specified in $\S412.37(b)$ and (c) and $\S412.47(b)$ and (c).

(ii) A copy of the CAFO's site-specific nutrient management plan must be maintained on site and made available

to the Director upon request.

(3) Requirements relating to transfer of manure or process wastewater to other persons. Prior to transferring manure, litter or process wastewater to other persons, Large CAFOs must provide the recipient of the manure, litter or process wastewater with the most current nutrient analysis. The analysis provided must be consistent with the requirements of 40 CFR part 412. Large CAFOs must retain for five years records of the date, recipient name and address, and approximate amount of manure, litter or process wastewater transferred to another person.

(4) Annual reporting requirements for CAFOs. The permittee must submit an annual report to the Director. The an-

nual report must include:

(i) The number and type of animals, whether in open confinement or housed under roof (beef cattle, broilers, layers, swine weighing 55 pounds or more, swine weighing less than 55 pounds, mature dairy cows, dairy heifers, veal calves, sheep and lambs, horses, ducks, turkeys, other);

(ii) Estimated amount of total manure, litter and process wastewater generated by the CAFO in the previous

12 months (tons/gallons);

(iii) Estimated amount of total manure, litter and process wastewater transferred to other person by the CAFO in the previous 12 months (tons/gallons);

(iv) Total number of acres for land application covered by the nutrient management plan developed in accordance with paragraph (e)(l) of this sec-

tion;

- (v) Total number of acres under control of the CAFO that were used for land application of manure, litter and process wastewater in the previous 12 months:
- (vi) Summary of all manure, litter and process wastewater discharges from the production area that have occurred in the previous 12 months, including date, time, and approximate volume; and

(vii) A statement indicating whether the current version of the CAFO's nutrient management plan was developed or approved by a certified nutrient management planner.

[48 FR 14153, Apr. 1, 1983, as amended at 49 FR 38049, Sept. 26, 1984; 50 FR 4514, Jan. 31, 1985; 55 FR 48073, Nov. 16, 1990; 57 FR 60448, Dec. 18, 1992; 68 FR 7268, Feb. 12, 2003]

122.43 Establishing permit conditions (applicable to State programs, see § 123.25).

(a) In addition to conditions required in all permits (§§ 122.41 and 122.42), the Director shall establish conditions, as required on a case-by-case basis, to provide for and assure compliance with all applicable requirements of CVA and regulations. These shall include conditions under §§ 122.46 (duration of permits), 122.47(a) (schedules of compliance), 122.48 (monitoring), and for EPA permits only 122.47(b) falternates schedule of compliance) and 122.49 (considerations under Federal Lew).

(b) (1) For a state issue permit, an applicable requirement is a State stat-

(b) (1) For a state issued permit, an applicable requirement is a State statutory or regulatory requirement which takes effect prior to final administrative disposition of a permit. For a permit issued by EPA an applicable requirement is a state fry or regulatory requirement (including any interim final regulation) which takes effect prior to the issuance of the permit. Section 124.14 (reopening of comment period) provides a means for reopening EPA permit proceedings at the discretion of the Director where new requirements become effective during the permitting process and are of sufficient magnitude to make additional proceedings desirable. For State and EPA administered programs, an applicable requirement is also any requirement which takes effect prior to othe modification or revocation and reissuance of a permit, to the extent allowed in \$122.62.

(2) New or reissued permits and to the extent allowed under §122.02 modified or revoked and reissued permits, shall incorporate each of the applicable requirements referenced in §§122.44 and 122.43

(c) Incorporation. All permit conditions shall be incorporated either expressly or by reference. If incorporated

Pt. 122, App. A

APPENDIX A TO PART 122-NPDES PRIMARY INDUSTRY CATEGORIES

permit issued after June 30, 19g Any permit issued after June 30, 19% to dischargers in the following categories shall include effluent limitations and a simpliance schadule to meet the requirements of section 30 (b)(2)(A), (C), (D), (E) and (F) of CWA, whether or not applicable effluent limitations guidelines have been premulgated. See §§ 122.44 and 122.46.

Industry Category

Adhesives and sea ants Aluminum forming Auto and other laundries Battery manufacturing Coal mining Coil coating Copper forming Electrical and electron components Electroplating Explosives manufacturing Foundries Gum and wood chemicals Inorganic chemical manufa**t**turing Iron and steel manufacturing Leather tanning and finishing cts manufacturing Mechanical prod Nonferrous metals manufactur Ore mining Organic chemicals manufacturing Paint and ink formulation Pesticides fining Petroleum Pharmaceutical preparations Photographic equipment and suppl Plastics : focessing and synthetic materials anufac-Plastic. turin Porcelain enameling Printing and publishing Puln and paper mills er processing p and detergent manufacturing am electric power plants xtile mills imber products processing

APPENDIX B TO PART 122 [RESERVED]

APPENDIX C TO PART 122-CRITERIA FOR DETERMINING A CONCENTRATED AQUATIC ANIMAL PRODUCTION FACIL-ITY (§ 122.24)

A hatchery, fish farm, or other facility is a concentrated aquatic animal production fa-cility for purposes of §122.24 if it contains grows, or holds aquatic animals in either of

the following categories:

(a) Cold water fish species or other cold water aquatic animals in ponds, raceways, or other similar structures which discharge at least 30 days per year but does not include:

(1) Facilities which produce less than 9,090 harvest weight kilograms (approximately 20,000 pounds) of aquatic animals per year;

(2) Facilities which feed less than 2,272 kilograms (approximately 5,000 pounds) of food during the calendar month of maximum feeding.

(b) Warm water fish species or other warm water aquatic animals in ponds, raceways, or other similar structures which discharge at least 30 days per year, but does not include:

(1) Closed ponds which discharge only during periods of excess runoff; or

(2) Facilities which produce less than 45,454 harvest weight kilograms (approximately 100,000 pounds) of aquatic animals per year. "Cold water aquatic animals" include, but

are not limited to, the Salmonidae family of fish; e.g., trout and salmon.

"Warm water aquatic animals" include, but are not limited to, the Ameluride, Centrarchidae and Cyprinidae families of fish; e.g., respectively, catfish, sunfish and min-

APPENDIX D TO PART 122-NPDES PER-MIT APPLICATION TESTING REQUIRE-MENTS (§ 122.21)

TABLE I—TESTING HEQUINEWILL...

GANG TOXIC POLLUTANTS BY INDUS

CATEGORY FOR EXISTING DISCHARGERS I-TESTING REQUIREMENTS FOR OR TOXIC POLLUTANTS BY INDUSTRIA

M				
Industrial category	Volatile	Acid	Base/ neutral	Pes- ticide
Adhesives and Sealants	2	2		
Aluminum Forming Auto and Other Laun-	N. "	_		
dries	y s	2	// 2	, s
Battery Manufacturing	2		A 5	
Coal Mining	1 5	2	2	2
Coil Coating		3/	2	
Copper Forming		A	2	
Electric and Electronic		M.		_
Components		Ø 2	2	3
Electroplating	× 10	M 5	2	l
Explosives Manufac-	1 3	.	1	
turing		2 2	2	
Foundries	1 2	M 2	2	
Gum and Wood	A.	-	2	2
Chemicals	M 2	2	2	*
Inorganic Chemicals	# .	M.	2	1
Manufacturing	A 2	100	•	1
Iron and Steel Manu-	2		2	
facturing		i 🕅	-	
Leather Tanning and	2	M.	2	2
California		- 1	i "	"
Mechanical Products	2	2	A 2	
Manufacturing		1	18.	
Nonferrous Metals	2	2	A 2	2
Manufacturing	2	2	A 2	2
Ore Mining	·	_	M.	i
Organic Chemicals Manyfacturing	2	2	M	2
Paintand ink Formu-	` ~			
laton	2	2	26	2
Perficides	•	2	2) a

Pt. 412

PART 412-CONCENTRATED ANI-**OPERATIONS** MAL FEEDING (CAFO) SOURCE **POINT** CATEGORY

412.1 General applicability.

412.2 General definitions.

412.3 General pretreatment standards.

412.4 Best management practices (BMPs) for land application of manure, litter, and process wastewater.

Subpart A-Horses and Sheep

412.10 Applicability.

412.11 [Reserved]

412.12 Effluent limitations attainable by the application of the best practicable control technology currently available

412.13 Effluent limitations attainable by the application of the best available technology economically achievable (BAT).

412.14 [Reserved]

412.15 New source performance standards (NSPS).

Subpart B-Ducks

412.20 Applicability.

412.21 Special definitions.

Effluent limitations attainable by the application of the best practicable control technology currently available (BPT).

412.23-412.24 [Reserved]

- 412.25 New source performance standards (NSPS).
- 412.26 Pretreatment standards for new sources (PSNS).

Subpart C—Dairy Cows and Cattle Other Than Veal Calves

412.30 Applicability.

- 412.31 Effluent limitations attainable by the application of the best practicable control technology currently available (BPT).
- 412.32 Effluent limitations attainable by the application of the best conventional pollutant control technology (BCT).
- 412.33 Effluent limitations attainable by the application of the best available technology economically achievable (BAT).

412,34 [Reserved] 412.35 New source performance standards (NSPS).

412.36 [Reserved]

412.37 Additional measures.

Subpart D-Swine, Poultry, and Veal Caives

412.40 Applicability.

412.41-412.42 [Reserved]

412.43 Effluent limitations attainable by the application of the best practicable control technology currently available (BPT)

412.44 Effluent limitations attainable by the application of the best conventional pollutant control technology for (BCT).

412.45 Effluent limitations attainable by the application of the best available technology economically achievable (BAT).

412.46 New source performance standards (NSPS).

412,47 Additional measures.

AUTHORITY: 33 U.S.C. 1311, 1314, 1316, 1317, 1318, 1342, 1361,

SOURCE: 68 FR 7269, Feb. 12, 2003, unless otherwise noted.

§ 412.1 General applicability.

This part applies to manure, litter, and/or process wastewater discharges resulting from concentrated animal feeding operations (CAFOs). Manufacturing and/or agricultural activities which may be subject to this part are generally reported under one or more of the following Standard Industrial Classification (SIC) codes: SIC 0211, SIC 0213, SIC 0214, SIC 0241, SIC 0251, SIC 0252, SIC 0253, SIC 0254, SIC 0259, or SIC 0272 (1987 SIC Manual).

§ 412.2 General definitions.

As used in this part:

(a) The general definitions and abbreviations at 40 CFR part 401 apply.

- (b) Animal Feeding Operation (AFO) and Concentrated Animal Feeding Operation (CAFO) are defined at 40 CFR 122.23.
- (c) Fecal coliform means the bacterial count (Parameter 1) at 40 CFR 136.3 in Table 1A, which also cites the approved methods of analysis.
- (d) Process wastewater means water directly or indirectly used in the operation of the CAFO for any or all of the following: spillage or overflow from animal or poultry watering systems; washing, cleaning, or flushing pens, barns, manure pits, or other CAFO facilities; direct contact swimming, washing, or spray cooling of animals; or dust control. Process wastewater also includes any water which comes into contact with any raw materials, products, or byproducts including manure, litter, feed, milk, eggs, or bedding.

Environmental Protection Agency

- (e) Land application area means land under the control of an AFO owner or operator, whether it is owned, rented, or leased, to which manure, litter, or process wastewater from the production area is or may be applied.
- (f) New source is defined at 40 CFR 122.2. New source criteria are defined at 40 CFR 122.29(b).
- (g) Overflow means the discharge of manure or process wastewater resulting from the filling of wastewater or manure storage structures beyond the point at which no more manure, process wastewater, or storm water can be contained by the structure.
- (h) Production area means that part of an AFO that includes the animal confinement area, the manure storage area, the raw materials storage area, and the waste containment areas. The animal confinement area includes but is not limited to open lots, housed lots, feedlots, confinement houses, stall barns, free stall barns, milkrooms, milking centers, cowyards, barnyards, medication pens, walkers, animal walkways, and stables. The manure storage area includes but is not limited to lagoons, runoff ponds, storage sheds, stockpiles, under house or pit storages, liquid impoundments, static piles, and composting piles. The raw materials storage area includes but is not limited to feed silos, silage bunkers, and bedding materials. The waste containment area includes but is not limited to settling basins, and areas within berms which separate and diversions uncontaminated storm water. Also included in the definition of production area is any egg washing or egg processing facility, and any area used in the storage, handling, treatment, or disposal of mortalities.
- (i) Ten (10)-year, 24-hour rainfall event, 25-year, 24-hour rainfall event, and 100-year, 24-hour rainfall event mean precipitation events with a probable recurrence interval of once in ten years, or twenty five years, or one hundred years, respectively, as defined by the National Weather Service in Technical Paper No. 40, "Rainfall Frequency Atlas of the United States," May, 1961, or equivalent regional or State rainfall probability information developed from this source.

- (j) Analytical methods. The parameters that are regulated or referenced in this part and listed with approved methods of analysis in Table 1B at 40 CFR 136.3 are defined as follows:
- (1) Ammonia (as N) means ammonia reported as nitrogen.
- (2) BOD5 means 5-day biochemical oxygen demand.
- (3) Nitrate (as N) means nitrate reported as nitrogen.
- (4) Total dissolved solids means nonfilterable residue.
- (k) The parameters that are regulated or referenced in this part and listed with approved methods of analysis in Table 1A at 40 CFR 136.3 are defined as follows:
- (1) Fecal coliform means fecal coliform bacteria.
- (2) Total coliform means all coliform bacteria.

§ 412.3 General pretreatment standards.

Any source subject to this part that introduces process wastewater pollutants into a publicly owned treatment works (POTW) must comply with 40 CFR part 403.

§412.4 Best management practices (BMPs) for land application of manure, litter, and process waste-

- (a) Applicability. This section applies to any CAFO subject to subpart C of this part (Dairy and Beef Cattle other than Veal Calves) or subpart D of this part (Swine, Poultry, and Veal Calves).
 - (b) Specialized definitions.
- (1) Setback means a specified distance from surface waters or potential conduits to surface waters where manure, litter, and process wastewater may not be land applied. Examples of conduits to surface waters include but are not limited to: Open tile line intake structures, sinkholes, and agricultural well heads.
- (2) Vegetated buffer means a narrow, permanent strip of dense perennial vegetation established parallel to the contours of and perpendicular to the dominant slope of the field for the purposes of slowing water runoff, enhancing water infiltration, and minimizing the risk of any potential nutrients or pollutants from leaving the field and reaching surface waters.

§412.10

(3) Multi-year phosphorus application means phosphorus applied to a field in excess of the crop needs for that year. In multi-year phosphorus applications, no additional manure, litter, or process wastewater is applied to the same land in subsequent years until the applied phosphorus has been removed from the field via harvest and crop removal.

(c) Requirement to develop and implement best management practices. Each CAFO subject to this section that land applies manure, litter, or process wastewater, must do so in accordance

with the following practices:

(1) Nutrient Management Plan. The CAFO must develop and implement a nutrient management plan that incorporates the requirements of paragraphs (c)(2) through (c)(5) of this section based on a field-specific assessment of the potential for nitrogen and phosphorus transport from the field and that addresses the form, source, amount, timing, and method of application of nutrients on each field to achieve realistic production goals, while minimizing nitrogen and phosphorus movement to surface waters.

(2) Determination of application rates. Application rates for manure, litter, and other process wastewater applied to land under the ownership or operational control of the CAFO must minimize phosphorus and nitrogen transport from the field to surface waters in compliance with the technical standards for nutrient management established by the Director. Such technical standards for nutrient management

(i) Include a field-specific assessment of the potential for nitrogen and phosphorus transport from the field to surface waters, and address the form, source, amount, timing, and method of application of nutrients on each field to achieve realistic production goals, while minimizing nitrogen and phosphorus movement to surface waters;

(ii) Include appropriate flexibilities for any CAFO to implement nutrient management practices to comply with the technical standards, including consideration of multi-year phosphorus application on fields that do not have a high potential for phosphorus runoff to

surface water, phased implementation of phosphorus-based nutrient management, and other components, as determined appropriate by the Director.

(3) Manure and soil sampling. Manure must be analyzed a minimum of once annually for nitrogen and phosphorus content, and soil analyzed a minimum of once every five years for phosphorus content. The results of these analyses are to be used in determining application rates for manure, litter, and other process wastewater.

(4) Inspect land application equipment for leaks. The operator must periodically inspect equipment used for land application of manure, litter, or process wastewater.

(5) Setback requirements. Unless the CAFO exercises one of the compliance alternatives provided for in paragraph (c)(5)(i) or (c)(5)(ii) of this section, manure, litter, and process wastewater may not be applied closer than 100 feet to any down-gradient surface waters, open tile line intake structures, sinkholes, agricultural well heads, or other conduits to surface waters.

(i) Vegetated buffer compliance alternative. As a compliance alternative, the CAFO may substitute the 100-foot setback with a 35-foot wide vegetated buffer where applications of manure, litter, or process wastewater are prohibited.

(ii) Alternative practices compliance alternative. As a compliance alternative, the CAFO may demonstrate that a setback or buffer is not necessary because implementation of alternative conservation practices or field-specific conditions will provide pollutant reductions equivalent or better than the reductions that would be achieved by the 100-foot setback.

Subpart A—Horses and Sheep

§412.10 Applicability.

This subpart applies to discharges resulting from the production areas at horse and sheep CAFOs. This subpart does not apply to such CAFOs with less than the following capacities: 10,000 sheep or 500 horses.

§ 412.11 [Reserved]

§412.12 Effluent limitations attainable by the application of the best practicable control technology currently available (BPT).

- (a) Except as provided in 40 CFR 125.30 through 125.32, and subject to the provisions of paragraph (b) of this section, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BPT: There shall be no discharge of process waste water pollutants to navigable waters.
- (b) Process waste pollutants in the overflow may be discharged to navigable waters whenever rainfall events, either chronic or catastrophic, cause an overflow of process waste water from a facility designed, constructed and operated to contain all process generated waste waters plus the runoff from a 10-year, 24-hour rainfall event for the location of the point source.

§ 412.13 Effluent limitations attainable by the application of the best available technology economically achievable (BAT).

- (a) Except as provided in 40 CFR 125.30 through 125.32 and when the provisions of paragraph (b) of this section apply, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BAT: There shall be no discharge of process waste water pollutants into U.S. waters.
- (b) Whenever rainfall events cause an overflow of process wastewater from a facility designed, constructed, operated, and maintained to contain all process-generated wastewaters plus the runoff from a 25-year, 24-hour rainfall event at the location of the point source, any process wastewater pollutants in the overflow may be discharged into U.S. waters.

§412.14 [Reserved]

§ 412.15 New source performance standards (NSPS).

- (a) Except as provided in paragraph (b) of this section, any new source subject to this subpart must achieve the following performance standards: There must be no discharge of process wastewater pollutants into U.S. waters
- (b) Whenever rainfall events cause an overflow of process wastewater from a facility designed, constructed, operated, and maintained to contain all process-generated wastewaters plus the runoff from a 25-year, 24-hour rainfall event at the location of the point source, any process wastewater pollutants in the overflow may be discharged into U.S. waters.

Subpart B—Ducks

§412.20 Applicability.

This subpart applies to discharges resulting from the production areas at dry lot and wet lot duck CAFOs. This subpart does not apply to such CAFOs with less than the following capacities: 5,000 ducks.

§ 412.21 Special definitions.

For the purposes of this subpart:

- (a) Dry lot means a facility for growing ducks in confinement with a dry litter floor cover and no access to swimming areas.
- (b) Wet lot means a confinement facility for raising ducks which is open to the environment, has a small number of sheltered areas, and with open water runs and swimming areas to which ducks have free access.

§ 412.22 Effluent limitations attainable by the application of the best practicable control technology currently available (BPT).

(a) Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the (BPT):

§§ 412.23-412.24

Regulated parameter	Maximum daily ¹	Maximum monthly average ¹	Maximum daily ²	Maximum monthly average ²
BODs	3.66	2.0	1.66	0.91
	(³)	(³)	(³)	(³)

1 Pounds per 1000 ducks.
2 Kilograms per 1000 ducks.
3 Not to exceed MPN of 400 per 100 ml at any time.

(b) [Reserved]

§§ 412.23-412.24 [Reserved]

§ 412.25 New source performance standards (NSPS).

- (a) Except as provided in paragraph (b) of this section, any new source subject to this subpart must achieve the following performance standards: There must be no discharge of process waste water pollutants into U.S. waters.
- (b) Whenever rainfall events cause an overflow of process wastewater from a facility designed, constructed, operated, and maintained to contain all process-generated wastewaters plus the runoff from a 25-year, 24-hour rainfail event at the location of the point source, any process wastewater pollutants in the overflow may be discharged into U.S. waters.

§412.26 Pretreatment standards for new sources (PSNS).

- (a) Except as provided in 40 CFR 403.7 and in paragraph (b) of this section, any new source subject to this subpart must achieve the following performance standards: There must be no introduction of process waste water pollutants to a POTW.
- (b) Whenever rainfail events cause an overflow of process wastewater from a facility designed, constructed, operated, and maintained to contain all process-generated wastewaters plus the runoff from a 25-year, 24-hour rainfall event at the location of the point source, any process wastewater pollutants in the overflow may be introduced to a POTW.

Subpart C—Dairy Cows and Cattle Other Than Veal Calves

§ 412.30 Applicability.

This subpart applies to operations defined as concentrated animal feeding operations (CAFOs) under 40 CFR 122.23 and includes the following animals: mature dairy cows, either milking or dry; cattle other than mature dairy cows or veal calves. Cattle other than mature dairy cows includes but is not limited to heifers, steers, and bulls. This subpart does not apply to such CAFOs with less than the following capacities: 700 mature dairy cows whether milked or dry; 1,000 cattle other than mature dairy cows or veal calves.

§ 412.31 Effluent limitations attainable by the application of the best practicable control technology currently available (BPT).

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BPT:

- (a) For CAFO production areas. Except as provided in paragraphs (a)(1) through (a)(2) of this section, there must be no discharge of manure, litter, or process wastewater pollutants into waters of the U.S. from the production area.
- (1) Whenever precipitation causes an overflow of manure, litter, or process wastewater, pollutants in the overflow may be discharged into U.S. waters provided:
- (i) The production area is designed, constructed, operated and maintained to contain all manure, litter, and process wastewater including the runoff and the direct precipitation from a 25year, 24-hour rainfall event;
- (ii) The production area is operated in accordance with the additional measures and records required by §412.37(a) and (b).
- (2) Voluntary alternative performance standards. Any CAFO subject to this

Environmental Protection Agency

subpart may request the Director to establish NPDES permit effluent limitations based upon site-specific alternative technologies that achieve a quantity of pollutants discharged from the production area equal to or less than the quantity of pollutants that would be discharged under the baseline performance standards as provided by

paragraph (a)(1) of this section.

(i) Supporting information. In requesting site-specific effluent limitations to be included in the NPDES permit, the CAFO owner or operator must submit a supporting technical analysis and any other relevant information and data that would support such site-specific effluent limitations within the time frame provided by the Director. The supporting technical analysis must include calculation of the quantity of pollutants discharged, on a mass basis where appropriate, based on a site-specific analysis of a system designed, constructed, operated, and maintained to contain all manure, litter, and process wastewater, including the runoff from a 25-year, 24-hour rainfall event. The technical analysis of the discharge of pollutants must include:

(A) All daily inputs to the storage system, including manure, litter, all process waste waters, direct precipita-

tion, and runoff.

(B) All daily outputs from the storage system, including losses due to evaporation, sludge removal, and the removal of waste water for use on cropland at the CAFO or transport off site.

(C) A calculation determining the predicted median annual overflow volume based on a 25-year period of actual rainfall data applicable to the site.

(D) Site-specific pollutant data, including N, P, BOD₅, TSS, for the CAFO from representative sampling and analysis of all sources of input to the storage system, or other appropriate pollutant data.

(E) Predicted annual average discharge of pollutants, expressed where appropriate as a mass discharge on a daily basis (lbs/day), and calculated considering paragraphs (a)(2) through (a)(2)(i)(D) of this section. (a)(2)(i)(A)

(ii) The Director has the discretion to request additional information to supplement the supporting technical analysis, including inspection of the CAFO.

(3) The CAFO shall attain the limitations and requirements of this paragraph as of the date of permit coverage.

(b) For CAFO land application areas. Discharges from land application areas are subject to the following requirements:

(1) Develop and implement the best management practices specified in §412.4;

(2) Maintain the records specified at §412.37 (c);

(3) The CAFO shall attain the limitations and requirements of this paragraph by December 31, 2006.

§ 412.32 Effluent limitations attainable by the application of the best con-vectional pollutant control tech-nology (BCT).

Except a provided in 49 CFR 125.30 through 125.32 any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BCT:

(a) For CATO production areas: the CAFO shall attain the same limitations and requirements as §412.3 (a).

(b) For CAFO land application areas: the AFO shall attain the same limitations and requirements as §412.31(b).

§ 412.33 Effluent limitations attainable by the application of the best available technology economically achievable (BAT).

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BAT:

(a) For CAFO production areas: the CAFO shall attain the same limitations and requirements as §412.31(a).

(b) For CAFO land application areas: the CAFO shall attain the same limitations and requirements as §412.31(b).

§ 412.34 [Reserved]

§ 412.35 New performance source standards (NSPS).

Any new point source subject to this subpart must achieve the following effluent limitations representing the application of NSPS:

§412.36

(a) For CAFO production areas. The CAFO shall attain the same limitations and requirements as §412.31(a)(1) and §412.31(a)(2).

(b) For CAFO land application areas: The CAFO shall attain the same limitations and requirements as §412.31(b)(1) and §412.31(b)(2).

(c) The CAFO shall attain the limitations and requirements of this paragraph as of the date of permit cov-

erage.

(d) Any source subject to this subpart that commenced discharging after April 14, 1993, and prior to April 14, 2003, which was a new source subject to the standards specified in §412.15, revised as of July 1, 2002, must continue to achieve those standards for the applicable time period specified in 40 CFR 122.29(d)(1). Thereafter, the source must achieve the standards specified in §412.31(a) and (b).

§ 412.36 [Reserved]

§ 412.37 Additional measures.

- (a) Each CAFO subject to this subpart must implement the following requirements:
- (1) Visual inspections. There must be routine visual inspections of the CAFO production area. At a minimum, the following must be visually inspected:
- (i) Weekly inspections of all storm water diversion devices, runoff diversion structures, and devices channelling contaminated storm water to the wastewater and manure storage and containment structure;
- (ii) Daily inspection of water lines, including drinking water or cooling water lines;
- (iii) Weekly inspections of the manure, litter, and process wastewater impoundments; the inspection will note the level in liquid impoundments as indicated by the depth marker in paragraph (a) (2) of this section.
- (2) Depth marker. All open surface liquid impoundments must have a depth marker which clearly indicates the minimum capacity necessary to contain the runoff and direct precipitation of the 25-year, 24-hour rainfall event, or, in the case of new sources subject to the requirements in §412.46 of this part, the runoff and direct precipita-

tion from a 100-year, 24-hour rainfall event.

(3) Corrective actions. Any deficiencies found as a result of these inspections must be corrected as soon as possible.

(4) Mortality handling. Mortalities must not be disposed of in any liquid manure or process wastewater system, and must be handled in such a way as to prevent the discharge of pollutants to surface water, unless alternative technologies pursuant to \$412.31(a)(2) and approved by the Director are de-

signed to handle mortalities.
(b) Record keeping requirements for the production area. Each CAFO must maintain on-site for a period of five years from the date they are created a complete copy of the information required by 40 CFR 122.21(i)(1) and 40 CFR 122.42(e)(1)(ix) and the records specified in paragraphs (b)(1) through (b)(6) of this section. The CAFO must make these records available to the Director and, in an authorized State, the Regional Administrator, or his or her designee, for review upon request.

(I) Records documenting the inspections required under paragraph (a)(I) of

this section:

(2) Weekly records of the depth of the manure and process wastewater in the liquid impoundment as indicated by the depth marker under paragraph (a)(2) of this section;

(3) Records documenting any actions taken to correct deficiencies required under paragraph (a)(3) of this section. Deficiencies not corrected within 30 days must be accompanied by an explanation of the factors preventing immediate correction;

(4) Records of mortalities management and practices used by the CAFO to meet the requirements of paragraph

(a)(4) of this section.

- (5) Records documenting the current design of any manure or litter storage structures, including volume for solids accumulation, design treatment volume, total design volume, and approximate number of days of storage capacity;
- (6) Records of the date, time, and estimated volume of any overflow.
- (c) Recordkeeping requirements for the land application areas. Each CAFO must maintain on-site a copy of its site-specific nutrient management plan. Each

Environmental Protection Agency

CAFO must maintain on-site for a period of five years from the date they are created a complete copy of the information required by §412.4 and 40 CFR 122.42(e)(1)(ix) and the records specified in paragraphs (c)(1) through (c)(10) of this section. The CAFO must make these records available to the Director and, in an authorized State, the Regional Administrator, or his or her designee, for review upon request.

(1) Expected crop yields;

(2) The date(s) manure, litter, or process waste water is applied to each field:

(3) Weather conditions at time of application and for 24 hours prior to and following application;

(4) Test methods used to sample and analyze manure, litter, process waste water, and soil;

(5) Results from manure, litter, process waste water, and soil sampling;

(6) Explanation of the basis for determining manure application rates, as provided in the technical standards established by the Director.

(7) Calculations showing the total nitrogen and phosphorus to be applied to each field, including sources other than manure, litter, or process wastewater;

(8) Total amount of nitrogen and phosphorus actually applied to each field, including documentation of calculations for the total amount applied;

(9) The method used to apply the manure, litter, or process wastewater;

(10) Date(s) of manure application equipment inspection.

Subpart D—Swine, Poultry, and Veal Calves

§ 412.40 Applicability.

This subpart applies to operations defined as concentrated animal feeding operations (CAFOs) under 40 CFR 122.23 and includes the following animals: swine; chickens; turkeys; and veal calves. This subpart does not apply to such CAFOs with less than the following capacities: 2,500 swine each weighing 55 lbs. or more; 10,000 swine each weighing less than 55 lbs.; 30,000 laying hens or broilers if the facility uses a liquid manure handling system; 82,000 laying hens if the facility uses other than a liquid manure handling system; 125,000 chickens other than

laying hens if the facility uses other than a liquid manure handling system; 55,000 turkeys; and 1,000 veal calves.

§§ 412.41-412.42 [Reserved]

§ 412.43 Effluent limitations attainable by the application of the best practicable control technology currently available (BPT).

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of RPT.

(a) For CAFO production areas. (1) The CAFO shall attain the same limitations and requirements as §412.31(a)(1) through (a)(2).

(2) The CAFO shall attain the limitations and requirements of this paragraph as of the date of permit coverage.

(b) For CAFO land application areas. (1) The CAFO shall attain the same limitations and requirements as $\S412.31(b)(1)$ and (b)(2).

(2) The CAFO shall attain the limitations and requirements of this paragraph by December 31, 2006.

11.2.44 Effluent limitations attainable by the application of the best conventional pollutant control technology BCT).

Except as provided in 10 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BCT:

(a) For CAFO production areas: the CAFO shall attain the same limitations and requirements as §412.43 a).

(b) for CAFO land application areas: the CAFO shall attain the same limitations and requirements as §412.43(b).

§ 412.45 Effluent limitations attainable by the application of the best available technology economically achievable (BAT).

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the application of BAT:

§412.46

(a) For CAFO production areas: the CAFO shall attain the same limitations and requirements as §412.43(a).

(b) For CAFO land application areas: the CAFO shall attain the same limitations and requirements as §412.43(b).

§ 12.46 New performance source standards (NSPS).

y new source subject to this part must achieve the following effluent limitations representing the application of NSPS:

(a) Fol CAFO production areas There must be no discharge of manure, litter, or process wastewater pollutants into waters of the U.S. from the production area, subject to paragraphs (a)(1) through (a) (3) of this section

- (1) Waste management and storage facilities designed, constructed, operated, and maintained to contain all manure, litter, and process wastewater including the runoff and the direct precipitation from 100 year, 24-hour operated in accordrainfall event and ance with the additional measures and records required by \$42.47(a) and (b), will fulfill the requirements of this section.
- (2) The production are a must be operated in accordance with the additional measures required by \$412.47(a) and (b).

 (3) Provisions for upset/bypass, as provided in 40 CFM 122.44
- (3) Provisions for upset/bypass, as provided in 40 CFR 122.41 (m)-(n), apply to a new source subject to this provision.

(b) For CAFO land application areas: the CAFO shall attain the same limitations and requirements as § 42.43(b)(1).

(c) The CAFO shall attain the limitations are considered in the limitation.

tions and requirements of this paragraph as of the date of permit cov-

erage

(d) Volugtary superior environmental performange standards. Any new cource CAFO subject to this subpart may re-Director to establish alterquest the NPDES permit limitations native pon a demonstration that based Will specifi innovative technologies achieve overall environmental formance across all media which equal to or superior to the reductions achieved by baseline standards as pro ed by §412.46(a). The quantity of pol tants discharged from the production rea must be accompanied by an equiv-

elent or greater reduction in the qua of pollutants released to other media from the production area (e.g., air emissions from housing and storage) and or land application freas for all manure litter, and process wastewater at on site and off-site locations. The comparison of quantity of pollutants must be made of a mass basis where appropriate. The Director has the discretion to respect supporting information to supplement such a request.

(e) Any source subject to this subpart that commenced discharging after April 14, 1996, and prior to April 14, 2003, which was a new source subject to the standards specified in 1412.15, revised as of July 1, 2002, musticontinue to achieve those standards for the applicable time period specified in 1412.05 FR plicable time period specified in 11 CFR 122.25(d)(1). Thereafter, the source must eve the standards specified in 12.43(a) and (b).

§412.47 Additional measures.

- (a) Each CAFO subject to this subpart must implement the requirements of §412.37(a).
- (b) Each CAFO subject to this subpart must comply with the recordkeeping requirements of §412.37(b).
- (c) Each CAFO subject to this subpart must comply with the recordkeeping requirements of §412.37(c).

PART 413—ELECTROPLATING POINT SOURCE CATEGORY

GENERAL PROVISIONS

Sec.

413.01 Applicability and comminance dates.
413.02 General definitions.
413.03 Monitoring requirements.

413.04 Standards for in grated facilities.

Subpart A—Electroplating of Common Metals Subcategon

- 413.10 Applicability: Description on the elecmetal common troplating οf category
- 413.11 Specialized definitions.
- 413.12-413.13 [Reserved]
- 413.14 Pretreatment standards for existing